



DE-CONCRETE® S.A.R.L.

DE-CONCRETE
STAMPED & DECORATIVE
CONCRETE SYSTEMS
FLOORS & WALLS



MICROTOPPING



Idealwork Microtopping is perfect for someone who is looking for a continuous surface, which is natural and innovative, able to make any environment unique. Idealwork Microtopping is ideal in a modern and minimal environment but at the same time it can enrich a classic or rustic house with refined style. Many artistic designs and effects can be achieved using different application techniques, colours or acid stains, to make your paving exactly as you want.



Renew your surface in only 3 millimeters


In only three millimetres of thickness, with Idealwork Microtopping it is possible to renew existing surfaces on different substrates (concrete, self-leveling, ceramics, wood, etc.) without removing them. Idealwork Microtopping presents extraordinary adhesion properties, high abrasion resistance and climatic stress; it performs perfectly on floor heating.

Give continuity to your ideas

Microtopping was created to respond to the needs of those who do not like joints because it allows to realise continuous interior and exterior surfaces without joints. Thanks to its extraordinary features, Microtopping is not only ideal for floors, but also for covering vertical surfaces such as plasterboard or masonry walls, staircases, bathtubs or shower enclosures. To create space for your ideas without interruptions.

Endless combinations of colours and effects

Thanks to the special liquid dyes of Colour Pack-C, it is possible to obtain many combinations of colours. The intensity and shade of colour will vary, depending on the quantity of dye used. It is also possible to create effects such as polished, silky, cloudy and acid stain as well as providing shades and decorative inserts to form unique, personalised finishes with great aesthetic impact and elegance.



Exactly as you want it!

High performances

Ideal Work Microtopping has extraordinary resistance and flexibility, it is easy and rapid to apply, maintain and clean. Microtopping's performances are very high quality, in fact:

- it has extraordinary adhesion properties to any kind of substrate;
- it has a high resistance to vehicular and intense traffic;
- it is provided with good protection from water penetration and de-icing salts;
- it is provided with excellent protection from UV rays and climatic stress;
- it has a low environmental impact as Microtopping is a water based product;
- it has a high heat conductivity, which allows Microtopping to warm up rapidly and therefore to speed up the heating process;
- Microtopping is safe even on under floor heating systems because, if warmed up, Microtopping doesn't release any substance and therefore it maintains a good air quality.



MICROTOPPING: The Continuous Space

Microtopping is the perfect finish for renovating floors, walls and surfaces and to give your surroundings an exclusive touch. Practical, innovative and quick, you can personalise any surface by varying its colour, effect and finish, creating exactly the look you want in just a few days. Each application is unique, done by hand by the professionals of the Idealwork network. Microtopping is a special compound of cement and water-based polymers, suitable for interior and exterior decoration. It is perfect for new buildings to give them a minimal, contemporary and continuous appearance but also for renewing existing surfaces, whether in a state of disrepair or simply no longer fashionable. Microtopping is simple to apply and only 3 millimeters thick, yet capable of giving your surroundings a whole new look.



Bathroom

With Microtopping you can transform any bathroom, new or renovated, into a modern, clean and bright room. But above all, practical: Microtopping's continuous surface, without joints makes cleaning much easier and quicker than the classic tile. Cleaning a Microtopping floor is very simple. A wipe with a damp cloth is enough to clean the surfaces with the addition of a little neutral, foam-free detergent. Moreover, various tests have shown that Microtopping is resistant to various chemical agents contained in products in common use.



Hazmieh, Damascus Highway, Gardenia Center, Block A, Ground Floor

Tel/fax: 00961 5 951 784 - GSM: 00961 3 798881

E-mail: info@de-concrete.com - Website: www.de-concrete.com