

DE-CONCRETE
STAMPED & DECORATIVE
CONCRETE SYSTEMS
FLOORS & WALLS

FOAM CONCRETE FOR LIGHT WEIGHT EXECUTION

After its success in leading the stamped concrete system throughout the Lebanese territories, De-Concrete proudly introduces its new line of sub-contracting, the Foam Concrete supply and install system. De-concrete can supply and install the **Light Weight Foam Concrete**, for any application and in any condition.



- **STRONG**
- **LIGHTWEIGHT**

- **FIREPROOF**
- **THERMAL INSULATION**

- **LEVELING**
- **FAST**




Known by different names Light-Weight Concrete is also called: Foam Concrete – Cellular Concrete.

Foam Concrete is produced by mixing Portland cement with Foam Agent and Water. In some conditions sand and gravel can be added.




Air dominates 40% to 80 % of the final mixture.





Scheme no. 1



Scheme no. 2



Uses:

1. Leveling and backfilling over slabs.
2. Insulating roof tops
3. Fire rated layers over walls and floors
4. Stabilizing soil



We could deliver **Foam Concrete** up to 30 m in height.

We could deliver **Foam Concrete** with densities from 200 kg/m³ to 1200 kg/m³.



Hazmieh, Damascus Highway, Gardenia Center, Block A, Ground Floor

Tel/fax: 00961 5 951 784 - GSM: 00961 3 798881

E-mail: info@de-concrete.com - Website: www.de-concrete.com